



TRECCE

Braid

Strong and sturdy, from our supplier nautical braid is a high-performance product. It is white with red and blue Stripes, composed of nylon on the outside and a mixture of nylon and polyester on the inside. Given its physical features, it undergoes no substantial modifications even when submitted to severe stress; it is therefore entirely suitable for prolonged exposure to the sun and to any other atmospheric conditions, ensuring a longer life than standard product.

In the field of braiding, our supplier range also includes plaits for the building industry and various types of braiding for curtains in bright and elegant colors. All these products are made of high-strength polypropylene, a material that is remarkably sturdy and durable.



MFT coil with clamp and shink

BF flanged reel



Nylon nautical braided rope

Product ID	Cod.	ø mm	Roll m	Breaking strenght	Pieces box	Packaging	 Width cm	Reel weight kg c.a.	In stock
TRE84	0604000	4	900	250	1	BF	30	15	✓
TRE85	0605000	5	680	360	1	BF	30	15	ON ORDER
TRE86	0606000	6	500	500	1	BF	30	15	✓
TRE87	0608000	8	320	800	1	BF	30	15	✓
TRE88	0610000	10	220	1200	1	BF	30	15	✓
TRE89	0612000	12	150	1900	1	BF	30	15	✓
TRE90	0614000	14	200	2200	1	BF	40	25	✓
TRE91	0616000	16	140	2600	1	BF	40	25	ON ORDER
TRE92	0618000	18	110	3100	1	BF	40	25	ON ORDER
TRE93	0620000	20	100	3900	1	BF	40	25	ON ORDER
TRE94	0622000	22	80	4200	1	BF	40	25	ON ORDER



CAVETTI

Steel cables

The steel cables for clothes racks, one of the our supplitie's strong points, now come in a new version: with a greater thickness and more flexibility for the steel cores, a greater tenacity for the polypropylene coating and richer and more complete packages.



CAVETTI ACCIAIO OTTONATO

Innovation for passion

Packaging

MFT

coil with clamp and shrink

✗ on order



EB

ECO bag

✗ on order



BF

flanged reel

✓ in stock



RT

roll with shrink

✗ on order



B

reel

✗ on order



PVC covered brass-coated steel cable

Product ID	Cod.	m	external ø mm	internal ø mm	Packaging	Breaking strenght Kg	Pieces box	In stock
CAV01	0103100	700	3	0,8	RT	70	10	✓
CAV02	0104012	10	4	1,1	MFT	100	30	ON ORDER
CAV03	0104022	20	4	1,1	MFT	100	20	ON ORDER
CAV04	0104013	10	4	1,1	EB	100	30	ON ORDER
CAV05	0104023	20	4	1,1	EB	100	20	ON ORDER
CAV06	0104100	100	4	1,1	RT	100	10	ON ORDER
CAV07	0104700	700	4	1,1	BF	100	1	✓
CAV08	0105012	10	5	1,6	MFT	150	30	ON ORDER
CAV09	0105022	20	5	1,6	MFT	150	20	ON ORDER
CAV10	0105013	10	5	1,6	EB	150	30	ON ORDER
CAV11	0105023	20	5	1,6	EB	150	20	ON ORDER
CAV12	0105100	100	5	1,6	RT	150	8	ON ORDER
CAV13	0105500	500	5	1,6	BF	150	1	✓
CAV14	0106012	10	6	1,8	MFT	210	25	ON ORDER
CAV15	0106022	20	6	1,8	MFT	210	15	ON ORDER
CAV16	0106100	100	6	1,8	RT	210	6	ON ORDER
CAV17	0106350	350	6	1,8	BF	210	1	✓
CAV18	0107250	250	7	2,3	BF	230	1	✓
CAV19	0108100	100	8	2,5	RT	250	4	ON ORDER
CAV20	0108200	200	8	2,5	BF	250	1	✓

CAVETTI ACCIAIO ZINCATO

Innovation for passion

Packaging

MFT

coil with clamp
and shrink




EB

eco bag



BF

flanged reel




RT

roll with shrink



B

reel



PVC covered zinc-coated steel cable

Product ID	Cod.	m	external ø mm	internal ø mm	Construction	Packaging	Breaking strenght Kg	Pieces box	In stock
CAV23	0204012	10	4	2	42 fili (6x7+AT)	MFT	250	30	ON ORDER
CAV24	0204022	20	4	2	42 fili (6x7+AT)	MFT	250	20	ON ORDER
CAV25	0204013	10	4	2	42 fili (6x7+AT)	EB	250	30	ON ORDER
CAV26	0204023	20	4	2	42 fili (6x7+AT)	EB	250	20	ON ORDER
CAV27	0204100	100	4	2	42 fili (6x7+AT)	RT	250	10	✓
CAV28	0205012	10	5	2,5	42 fili (6x7+AT)	MFT	400	30	ON ORDER
CAV29	0205022	20	5	2,5	42 fili (6x7+AT)	MFT	400	20	ON ORDER
CAV30	0205013	10	5	2,5	42 fili (6x7+AT)	EB	400	30	ON ORDER
CAV31	0205023	20	5	2,5	42 fili (6x7+AT)	EB	400	20	ON ORDER
CAV32	0205500	500	5	2,5	42 fili (6x7+AT)	BF	400	1	✓ RED COLORED PVC
CAV33	0205100	100	5	2,5	42 fili (6x7+AT)	RT	400	8	ON ORDER
CAV34	0206350	350	6	2,5	42 fili (6x7+AT)	BF	450	1	✓
CAV35	0206100	100	6	2,5	42 fili (6x7+AT)	RT	450	6	ON ORDER



BIANCONI

Bianconi

The cables for the clothes racks in the "Bianconi" range are among the foremost products of the supplier production range. Their exceptional features of strength and sturdiness are obtained thanks to a particular structure, which consists in a brass-plated or galvanized steel core and a special flexible PVC coating, studied specifically for outdoor applications. The "Bianconi" are waterrepellent, corrosion-resistant and non-deformable even at high temperatures. Packaged in skeins, rolls or flanged reels, they are available in a diameter of 4.5 mm [or 5 mm for the Superbianconi].



SUPERBIANCONE CON BIOSSIDO DI TITANIO

Innovation for passion

✓ in stock

SUPERBIANCONE: anticorrosive special white PVC covered with titanium dioxide zinc coated 3mm steel cable. Construction: 49 wires (7x7)


✗ on order

BIANCO L: anticorrosive special white PVC covered brass coated steel cable

✗ on order

BIANCONE: anticorrosive special white PVC covered zinc coated 2,5mm steel cable. Construction: 42 wires (67 + AT)

Anticorrosive special white pcv covered zinc coated steel cable



Free display unit included in the package

-20 +55
NO PROBLEM
PVC super formula

The Superbiancone is an innovative, Superior-quality clothes rack cable. Its structure consists of a single internal core 3 mm in diameter, made entirely of galvanized steel - never used before now for this type of product - With an outer coating of new-generation special White PVC, obtained by means of a formula, or better still a Superformula with titanium dioxide.

Practically indestructible, the Superbiancone Stands at the top of the range of clothes rack cables in that it can cope with even the Worst expectations in terms of Withstanding hot and cold: from - 20°C to + 55 °C.



Product ID	Cod.	m	external ø mm	internal ø mm	Construction	Breaking strenght Kg	In stock
BIA01	0202500	500	5	3	7x7	600	ON ORDER
BIA01S	0202500S	500	5	3	7x7	600	✓



Centrála:

PAMA, a.s.

Ostrov nad Oslavou 273
594 45 Ostrov nad Oslavou

tel./fax: +420 566 503 233
info@pamaas.cz

www. pamaas.cz

Obchodní zastoupení:

Praha - Řepy

K Šancím 50
163 00 Praha

tel./fax: +420 235 311 486
praha@pamaas.cz



www.pamaas.cz