


Starantrieb, Senkkopf, Unterkopfrippen, **Reibteil**  
**Grobganggewinde, Mitgewinde, gehärtet, kunststoffgesintert**  
**gelb - galvanisch verzinkt**




**QUALITÄT**  
**AUS**   
**ÖSTERREICH**

	Dimension			Reibteil	Antrieb	Stk./ PEH	SSH Art. Nr.	EAN	ETA - Codierung
	Ød [mm]	Ls [mm]	LgT [mm]						
<b>4,0</b>	30	24	8	nein	TX 20	1000	5834740400300001	9002715715409	040x030/024 A0C 0B0 B1B
	35	24	8	nein	TX 20	1000	5834740400350001	9002715715416	040x035/024 A0C 0B0 B1B
	40	30	8	nein	TX 20	1000	5834740400400001	9002715679718	040x040/030 A0C 0B0 B1B
	50	30	8	ja	TX 20	500	5834740400500001	9002715679725	040x050/030 A1C 0B0 B1B
	60	35	8	ja	TX 20	500	5834740400600001	9002715679732	040x060/035 A1C 0B0 B1B
	70	35	8	ja	TX 20	200	5834740400700001	9002715679749	040x070/035 A1C 0B0 B1B
<b>4,5</b>	50	29	9	ja	TX 20	500	5834740450500001	9002715679756	045x050/029 A1C 0B0 B1B
	60	29	9	ja	TX 20	250	5834740450600001	9002715679763	045x060/029 A1C 0B0 B1B
	70	39	9	ja	TX 20	200	5834740450700001	9002715679770	045x070/039 A1C 0B0 B1B
	80	39	9	ja	TX 20	200	5834740450800001	9002715679787	045x080/039 A1C 0B0 B1B
<b>5,0</b>	50	30	10	ja	TX 25	250	5834740500500001	9002715679794	050x050/030 A1C 0B0 B1B
	60	30	10	ja	TX 25	250	5834740500600001	9002715679800	050x060/030 A1C 0B0 B1B
	70	37	10	ja	TX 25	200	5834740500700001	9002715679817	050x070/037 A1C 0B0 B1B
	80	37	10	ja	TX 25	200	5834740500800001	9002715679824	050x080/037 A1C 0B0 B1B
	90	55	10	ja	TX 25	100	5834740500900001	9002715679831	050x090/055 A1C 0B0 B1B
	100	55	10	ja	TX 25	100	5834740501000001	9002715679848	050x100/055 A1C 0B0 B1B
	120	55	10	ja	TX 25	100	5834740501200001	9002715679855	050x120/055 A1C 0B0 B1B
<b>6,0</b>	60	36	12	ja	TX 30	200	5834740600600001	9002715678889	060x060/036 A1C 0B1 B1B
	70	36	12	ja	TX 30	200	5834740600700001	9002715678896	060x070/036 A1C 0B1 B1B
	80	48	12	ja	TX 30	100	5834740600800001	9002715678902	060x080/048 A1C 0B1 B1B
	90	48	12	ja	TX 30	100	5834740600900001	9002715678919	060x090/048 A1C 0B1 B1B
	100	48	12	ja	TX 30	100	5834740601000001	9002715678926	060x100/048 A1C 0B1 B1B
	110	64	12	ja	TX 30	100	5834740601100001	9002715679916	060x110/064 A1C 0B1 B1B
	120	64	12	ja	TX 30	100	5834740601200001	9002715678933	060x120/064 A1C 0B1 B1B
	130	64	12	ja	TX 30	100	5834740601300001	9002715679923	060x130/064 A1C 0B1 B1B
	140	64	12	ja	TX 30	100	5834740601400001	9002715678940	060x140/064 A1C 0B1 B1B
	150	64	12	ja	TX 30	100	5834740601500001	9002715679930	060x150/064 A1C 0B1 B1B
	160	64	12	ja	TX 30	100	5834740601600001	9002715678957	060x160/064 A1C 0B1 B1B
	180	64	12	ja	TX 30	100	5834740601800001	9002715678964	060x180/064 A1C 0B1 B1B
	200	64	12	ja	TX 30	100	5834740602000001	9002715678971	060x200/064 A1C 0B1 B1B
	220	64	12	ja	TX 30	100	5834740602200001	9002715678988	060x220/064 A1C 0B1 B1B
	240	64	12	ja	TX 30	100	5834740602400001	9002715678995	060x240/064 A1C 0B1 B1B
260	64	12	ja	TX 30	100	5834740602600001	9002715679008	060x260/064 A1C 0B1 B1B	
280	64	12	ja	TX 30	100	5834740602800001	9002715679015	060x280/064 A1C 0B1 B1B	
300	64	12	ja	TX 30	100	5834740603000001	9002715679022	060x300/064 A1C 0B1 B1B	

**GROSSPACKUNG**

02/2019 Starantrieb, Senkkopf, Unterkopfrippen, **Reibteil**  
**Grobganggewinde, Mitgewinde, gehärtet, kunststoffgesintert**  
**gelb - galvanisch verzinkt**




**QUALITÄT**  
**AUS**  
**ÖSTERREICH**

	Dimension				Reibteil	Antrieb	Stk./PEH	SSH Art. Nr.	EAN	ETA - Codierung
	Ød [mm]	Ls [mm]	LgT [mm]	Ødk [mm]						
<b>8,0</b>	80	54	15	ja	TX 40	75	5834740800800070	9002715727198	080x080/054 A1C 0B1 B1B	
	100	54	15	ja	TX 40	75	5834740801000070	9002715727204	080x100/054 A1C 0B1 B1B	
	120	54	15	ja	TX 40	75	5834740801200070	9002715727211	080x120/054 A1C 0B1 B1B	
	140	84	15	ja	TX 40	75	5834740801400070	9002715727228	080x140/084 A1C 0B1 B1B	
	160	84	15	ja	TX 40	75	5834740801600070	9002715727235	080x160/084 A1C 0B1 B1B	
	180	100	15	ja	TX 40	75	5834740801800070	9002715727242	080x180/100 A1C 0B1 B1B	
	200	100	15	ja	TX 40	75	5834740802000070	9002715727259	080x200/100 A1C 0B1 B1B	
	220	100	15	ja	TX 40	75	5834740802200070	9002715727266	080x220/100 A1C 0B1 B1B	
	240	100	15	ja	TX 40	75	5834740802400070	9002715727273	080x240/100 A1C 0B1 B1B	
	260	100	15	ja	TX 40	75	5834740802600070	9002715727280	080x260/100 A1C 0B1 B1B	
	280	100	15	ja	TX 40	75	5834740802800070	9002715727297	080x280/100 A1C 0B1 B1B	
	300	100	15	ja	TX 40	75	5834740803000070	9002715727303	080x300/100 A1C 0B1 B1B	
	320	100	15	ja	TX 40	75	5834740803200070	9002715727310	080x320/100 A1C 0B1 B1B	
	340	100	15	ja	TX 40	75	5834740803400070	9002715727327	080x340/100 A1C 0B1 B1B	
	360	100	15	ja	TX 40	75	5834740803600070	9002715727334	080x360/100 A1C 0B1 B1B	
380	100	15	ja	TX 40	75	5834740803800070	9002715727341	080x380/100 A1C 0B1 B1B		
400	100	15	ja	TX 40	75	5834740804000070	9002715727358	080x400/100 A1C 0B1 B1B		
<b>10,0</b>	80	60	18,5	nein	TX 40	50	5834741000800001	9002715679206	100x080/060 A0C 0B1 B1B	
	100	60	18,5	ja	TX 40	50	5834741001000001	9002715679213	100x100/060 A1C 0B1 B1B	
	120	60	18,5	ja	TX 40	50	5834741001200001	9002715679220	100x120/060 A1C 0B1 B1B	
	140	60	18,5	ja	TX 40	50	5834741001400001	9002715679237	100x140/060 A1C 0B1 B1B	
	160	100	18,5	ja	TX 40	50	5834741001600001	9002715679244	100x160/100 A1C 0B1 B1B	
	180	100	18,5	ja	TX 40	50	5834741001800001	9002715679251	100x180/100 A1C 0B1 B1B	
	200	100	18,5	ja	TX 40	50	5834741002000001	9002715679268	100x200/100 A1C 0B1 B1B	
	220	100	18,5	ja	TX 40	50	5834741002200001	9002715679275	100x220/100 A1C 0B1 B1B	
	240	100	18,5	ja	TX 40	50	5834741002400001	9002715679282	100x240/100 A1C 0B1 B1B	
	260	100	18,5	ja	TX 40	50	5834741002600001	9002715679299	100x260/100 A1C 0B1 B1B	
	280	100	18,5	ja	TX 40	50	5834741002800001	9002715679305	100x280/100 A1C 0B1 B1B	
	300	100	18,5	ja	TX 40	50	5834741003000001	9002715679312	100x300/100 A1C 0B1 B1B	
	320	100	18,5	ja	TX 40	50	5834741003200001	9002715679329	100x320/100 A1C 0B1 B1B	
	340	100	18,5	ja	TX 40	50	5834741003400001	9002715679336	100x340/100 A1C 0B1 B1B	
	360	100	18,5	ja	TX 40	50	5834741003600001	9002715679343	100x360/100 A1C 0B1 B1B	
380	100	18,5	ja	TX 40	50	5834741003800001	9002715679350	100x380/100 A1C 0B1 B1B		
400	100	18,5	ja	TX 40	50	5834741004000001	9002715679367	100x400/100 A1C 0B1 B1B		

**GROSSPACKUNG**

Starantrieb, Tellerkopf, Unterkopfrippen, **Reibteil, Grobganggewinde, Mitgewinde**, gehärtet, kunststoffgesintert  
**gelb - galvanisch verzinkt**




**QUALITÄT  
AUS  
ÖSTERREICH**

	Dimension			Antrieb	Stk./ PEH	SSH Art. Nr.	EAN	ETA - Codierung
	Ød [mm]	Ls [mm]	LgT [mm]					
<b>6,0</b>	60	36	14	TX 30	100	5833740600600001	9002715680349	060x060/036 G1G 0B1 B2B
	80	48	14	TX 30	100	5833740600800001	9002715680356	060x080/048 G1G 0B1 B2B
	100	48	14	TX 30	100	5833740601000001	9002715680363	060x100/048 G1G 0B1 B2B
	120	64	14	TX 30	100	5833740601200001	9002715680370	060x120/064 G1G 0B1 B2B
	140	64	14	TX 30	100	5833740601400001	9002715680387	060x140/064 G1G 0B1 B2B
	160	64	14	TX 30	50	5833740601600001	9002715680394	060x160/064 G1G 0B1 B2B
	180	64	14	TX 30	50	5833740601800001	9002715680400	060x180/064 G1G 0B1 B2B
	200	64	14	TX 30	50	5833740602000001	9002715680424	060x200/064 G1G 0B1 B2B
<b>8,0</b>	80	54	20	TX 40	50	5833740800800070	9002715697125	080x080/054 G1G 0B1 B2B
	100	54	20	TX 40	50	5833740801000070	9002715697132	080x100/054 G1G 0B1 B2B
	120	54	20	TX 40	50	5833740801200070	9002715697149	080x120/054 G1G 0B1 B2B
	140	84	20	TX 40	50	5833740801400070	9002715697156	080x140/084 G1G 0B1 B2B
	160	84	20	TX 40	50	5833740801600070	9002715697163	080x160/084 G1G 0B1 B2B
	180	100	20	TX 40	50	5833740801800070	9002715697170	080x180/100 G1G 0B1 B2B
	200	100	20	TX 40	50	5833740802000070	9002715697187	080x200/100 G1G 0B1 B2B
	220	100	20	TX 40	50	5833740802200070	9002715697194	080x220/100 G1G 0B1 B2B
	240	100	20	TX 40	50	5833740802400070	9002715697200	080x240/100 G1G 0B1 B2B
	260	100	20	TX 40	50	5833740802600070	9002715697217	080x260/100 G1G 0B1 B2B
	280	100	20	TX 40	50	5833740802800070	9002715697224	080x280/100 G1G 0B1 B2B
	300	100	20	TX 40	50	5833740803000070	9002715697231	080x300/100 G1G 0B1 B2B
	320	100	20	TX 40	50	5833740803200070	9002715697248	080x320/100 G1G 0B1 B2B
	340	100	20	TX 40	50	5833740803400070	9002715697255	080x340/100 G1G 0B1 B2B
360	100	20	TX 40	50	5833740803600070	9002715697262	080x360/100 G1G 0B1 B2B	
380	100	20	TX 40	50	5833740803800070	9002715697279	080x380/100 G1G 0B1 B2B	
400	100	20	TX 40	50	5833740804000070	9002715697286	080x400/100 G1G 0B1 B2B	
<b>10,0</b>	100	60	25	TX 50	25	5833741001000001	9002715679558	100x100/060 G1G 0B1 B2B
	120	60	25	TX 50	25	5833741001200001	9002715679565	100x120/060 G1G 0B1 B2B
	140	60	25	TX 50	25	5833741001400001	9002715679572	100x140/060 G1G 0B1 B2B
	160	100	25	TX 50	25	5833741001600001	9002715679589	100x160/100 G1G 0B1 B2B
	180	100	25	TX 50	25	5833741001800001	9002715679596	100x180/100 G1G 0B1 B2B
	200	100	25	TX 50	25	5833741002000001	9002715679602	100x200/100 G1G 0B1 B2B
	220	100	25	TX 50	25	5833741002200001	9002715679619	100x220/100 G1G 0B1 B2B
	240	100	25	TX 50	25	5833741002400001	9002715679626	100x240/100 G1G 0B1 B2B
	260	100	25	TX 50	25	5833741002600001	9002715679633	100x260/100 G1G 0B1 B2B
	280	100	25	TX 50	25	5833741002800001	9002715679640	100x280/100 G1G 0B1 B2B
	300	100	25	TX 50	25	5833741003000001	9002715679657	100x300/100 G1G 0B1 B2B
	320	100	25	TX 50	25	5833741003200001	9002715679664	100x320/100 G1G 0B1 B2B
	340	100	25	TX 50	25	5833741003400001	9002715679671	100x340/100 G1G 0B1 B2B
	360	100	25	TX 50	25	5833741003600001	9002715679688	100x360/100 G1G 0B1 B2B
380	100	25	TX 50	25	5833741003800001	9002715679695	100x380/100 G1G 0B1 B2B	
400	100	25	TX 50	25	5833741004000001	9002715679701	100x400/100 G1G 0B1 B2B	

**GROSSPACKUNG**

02/2019 Starantrieb, Senkkopf, Unterkopfrippen, **Reibteil, Grobganggewinde, Mitgewinde**, gehärtet, kunststoffgesintert

BlueWin-Oberfläche




**QUALITÄT  
AUS  
ÖSTERREICH**

	Dimension				Reibteil	Antrieb	Stk./ PEH	SSH Art. Nr.	EAN	ETA - Codierung
	Ød [mm]	Ls [mm]	LgT [mm]	Ødk [mm]						
<b>4,0</b>	30	24	8	nein	TX 20	1000	5834710400300001	9002715729994	040x030/024 A0C 0B0 B1B	
	35	24	8	nein	TX 20	1000	5834710400350001	9002715730006	040x035/024 A0C 0B0 B1B	
	40	30	8	nein	TX 20	1000	5834710400400001	9002715730013	040x040/030 A0C 0B0 B1B	
	50	30	8	ja	TX 20	500	5834710400500001	9002715730020	040x050/030 A1C 0B0 B1B	
	60	35	8	ja	TX 20	500	5834710400600001	9002715730037	040x060/035 A1C 0B0 B1B	
	70	35	8	ja	TX 20	200	5834710400700001	9002715730044	040x070/035 A1C 0B0 B1B	
<b>4,5</b>	50	29	9	ja	TX 20	500	5834710450500001	9002715730051	045x050/029 A1C 0B0 B1B	
	60	29	9	ja	TX 20	250	5834710450600001	9002715730068	045x060/029 A1C 0B0 B1B	
	70	39	9	ja	TX 20	200	5834710450700001	9002715730075	045x070/039 A1C 0B0 B1B	
	80	39	9	ja	TX 20	200	5834710450800001	9002715730082	045x080/039 A1C 0B0 B1B	
<b>5,0</b>	50	30	10	ja	TX 25	250	5834710500500001	9002715730099	050x050/030 A1C 0B0 B1B	
	60	30	10	ja	TX 25	250	5834710500600001	9002715730105	050x060/030 A1C 0B0 B1B	
	70	37	10	ja	TX 25	200	5834710500700001	9002715730112	050x070/037 A1C 0B0 B1B	
	80	37	10	ja	TX 25	200	5834710500800001	9002715730129	050x080/037 A1C 0B0 B1B	
	90	55	10	ja	TX 25	100	5834710500900001	9002715730136	050x090/055 A1C 0B0 B1B	
	100	55	10	ja	TX 25	100	5834710501000001	9002715730143	050x100/055 A1C 0B0 B1B	
<b>6,0</b>	120	55	10	ja	TX 25	100	5834710501200001	9002715730150	050x120/055 A1C 0B0 B1B	
	60	36	12	ja	TX 30	200	5834710600600001	9002715730174	060x060/036 A1C 0B1 B1B	
	70	36	12	ja	TX 30	200	5834710600700001	9002715730181	060x070/036 A1C 0B1 B1B	
	80	48	12	ja	TX 30	100	5834710600800001	9002715730198	060x080/048 A1C 0B1 B1B	
	90	48	12	ja	TX 30	100	5834710600900001	9002715730204	060x090/048 A1C 0B1 B1B	
	100	48	12	ja	TX 30	100	5834710601000001	9002715730211	060x100/048 A1C 0B1 B1B	
	110	64	12	ja	TX 30	100	5834710601100001	9002715730228	060x110/064 A1C 0B1 B1B	
	120	64	12	ja	TX 30	100	5834710601200001	9002715730235	060x120/064 A1C 0B1 B1B	
	130	64	12	ja	TX 30	100	5834710601300001	9002715730242	060x130/064 A1C 0B1 B1B	
	140	64	12	ja	TX 30	100	5834710601400001	9002715730259	060x140/064 A1C 0B1 B1B	
	150	64	12	ja	TX 30	100	5834710601500001	9002715730266	060x150/064 A1C 0B1 B1B	
	160	64	12	ja	TX 30	100	5834710601600001	9002715730273	060x160/064 A1C 0B1 B1B	
	180	64	12	ja	TX 30	100	5834710601800001	9002715730280	060x180/064 A1C 0B1 B1B	
	200	64	12	ja	TX 30	100	5834710602000001	9002715730297	060x200/064 A1C 0B1 B1B	
	220	64	12	ja	TX 30	100	5834710602200001	9002715730303	060x220/064 A1C 0B1 B1B	
240	64	12	ja	TX 30	100	5834710602400001	9002715730310	060x240/064 A1C 0B1 B1B		
260	64	12	ja	TX 30	100	5834710602600001	9002715730327	060x260/064 A1C 0B1 B1B		
280	64	12	ja	TX 30	100	5834710602800001	9002715730334	060x280/064 A1C 0B1 B1B		
300	64	12	ja	TX 30	100	5834710603000001	9002715730341	060x300/064 A1C 0B1 B1B		

**GROSSPACKUNG**

Starantrieb, Senkkopf, Unterkopfrippen, **Reibteil, Grobganggewinde, Mitgewinde**, gehärtet, kunststoffgesintert

BlueWin-Oberfläche




**QUALITÄT  
AUS   
ÖSTERREICH**

	Dimension				Reibteil	Antrieb	Stk./PEH	SSH Art. Nr.	EAN	ETA - Codierung
	Ød [mm]	Ls [mm]	LgT [mm]	Ødk [mm]						
<b>8,0</b>	80	54	15	ja	TX 40	75	5834710800800070	9002715730365	080x080/054 A1C 0B1 B1B	
	100	54	15	ja	TX 40	75	5834710801000070	9002715730372	080x100/054 A1C 0B1 B1B	
	120	54	15	ja	TX 40	75	5834710801200070	9002715730389	080x120/054 A1C 0B1 B1B	
	140	84	15	ja	TX 40	75	5834710801400070	9002715730396	080x140/084 A1C 0B1 B1B	
	160	84	15	ja	TX 40	75	5834710801600070	9002715730402	080x160/084 A1C 0B1 B1B	
	180	100	15	ja	TX 40	75	5834710801800070	9002715730419	080x180/100 A1C 0B1 B1B	
	200	100	15	ja	TX 40	75	5834710802000070	9002715730433	080x200/100 A1C 0B1 B1B	
	220	100	15	ja	TX 40	75	5834710802200070	9002715730440	080x220/100 A1C 0B1 B1B	
	240	100	15	ja	TX 40	75	5834710802400070	9002715730457	080x240/100 A1C 0B1 B1B	
	260	100	15	ja	TX 40	75	5834710802600070	9002715730464	080x260/100 A1C 0B1 B1B	
	280	100	15	ja	TX 40	75	5834710802800070	9002715730471	080x280/100 A1C 0B1 B1B	
	300	100	15	ja	TX 40	75	5834710803000070	9002715730488	080x300/100 A1C 0B1 B1B	
	320	100	15	ja	TX 40	75	5834710803200070	9002715730495	080x320/100 A1C 0B1 B1B	
	340	100	15	ja	TX 40	75	5834710803400070	9002715730501	080x340/100 A1C 0B1 B1B	
	360	100	15	ja	TX 40	75	5834710803600070	9002715730518	080x360/100 A1C 0B1 B1B	
380	100	15	ja	TX 40	75	5834710803800070	9002715730532	080x380/100 A1C 0B1 B1B		
400	100	15	ja	TX 40	75	5834710804000070	9002715730549	080x400/100 A1C 0B1 B1B		
<b>10,0</b>	80	60	18,5	nein	TX 40	50	5834711000800001	9002715730556	100x080/060 A0C 0B1 B1B	
	100	60	18,5	ja	TX 40	50	5834711001000001	9002715706278	100x100/060 A1C 0B1 B1B	
	120	60	18,5	ja	TX 40	50	5834711001200001	9002715730570	100x120/060 A1C 0B1 B1B	
	140	60	18,5	ja	TX 40	50	5834711001400001	9002715730587	100x140/060 A1C 0B1 B1B	
	160	100	18,5	ja	TX 40	50	5834711001600001	9002715730594	100x160/100 A1C 0B1 B1B	
	180	100	18,5	ja	TX 40	50	5834711001800001	9002715730600	100x180/100 A1C 0B1 B1B	
	200	100	18,5	ja	TX 40	50	5834711002000001	9002715730617	100x200/100 A1C 0B1 B1B	
	220	100	18,5	ja	TX 40	50	5834711002200001	9002715730624	100x220/100 A1C 0B1 B1B	
	240	100	18,5	ja	TX 40	50	5834711002400001	9002715730631	100x240/100 A1C 0B1 B1B	
	260	100	18,5	ja	TX 40	50	5834711002600001	9002715730648	100x260/100 A1C 0B1 B1B	
	280	100	18,5	ja	TX 40	50	5834711002800001	9002715730655	100x280/100 A1C 0B1 B1B	
	300	100	18,5	ja	TX 40	50	5834711003000001	9002715730662	100x300/100 A1C 0B1 B1B	
	320	100	18,5	ja	TX 40	50	5834711003200001	9002715730679	100x320/100 A1C 0B1 B1B	
	340	100	18,5	ja	TX 40	50	5834711003400001	9002715730686	100x340/100 A1C 0B1 B1B	
	360	100	18,5	ja	TX 40	50	5834711003600001	9002715730693	100x360/100 A1C 0B1 B1B	
380	100	18,5	ja	TX 40	50	5834711003800001	9002715730709	100x380/100 A1C 0B1 B1B		
400	100	18,5	ja	TX 40	50	5834711004000001	9002715730716	100x400/100 A1C 0B1 B1B		

**GROSSPACKUNG**

02/2019 Starantrieb, Tellerkopf, Unterkopfrippen, Reibteil, Grobganggewinde, Mitgewinde, gehärtet, kunststoffgesintert

BlueWin-Oberfläche



**QUALITÄT  
AUS  
ÖSTERREICH**


	Dimension			Antrieb	Stk./ PEH	SSH Art. Nr.	EAN	ETA - Codierung
	Ød [mm]	Ls [mm]	LgT [mm]					
<b>6,0</b>	60	36	14	TX 30	100	5833710600600001	9002715725484	060x060/036 G1G 0B1 B2B
	80	48	14	TX 30	100	5833710600800001	9002715725491	060x080/048 G1G 0B1 B2B
	100	48	14	TX 30	100	5833710601000001	9002715725507	060x100/048 G1G 0B1 B2B
	120	64	14	TX 30	100	5833710601200001	9002715725514	060x120/064 G1G 0B1 B2B
	140	64	14	TX 30	100	5833710601400001	9002715725521	060x140/064 G1G 0B1 B2B
	160	64	14	TX 30	50	5833710601600001	9002715725538	060x160/064 G1G 0B1 B2B
	180	64	14	TX 30	50	5833710601800001	9002715725545	060x180/064 G1G 0B1 B2B
	200	64	14	TX 30	50	5833710602000001	9002715725552	060x200/064 G1G 0B1 B2B
<b>8,0</b>	80	54	20	TX 40	50	5833710800800070	9002715725569	080x080/054 G1G 0B1 B2B
	100	54	20	TX 40	50	5833710801000070	9002715725576	080x100/054 G1G 0B1 B2B
	120	54	20	TX 40	50	5833710801200070	9002715725583	080x120/054 G1G 0B1 B2B
	140	84	20	TX 40	50	5833710801400070	9002715725590	080x140/084 G1G 0B1 B2B
	160	84	20	TX 40	50	5833710801600070	9002715725606	080x160/084 G1G 0B1 B2B
	180	100	20	TX 40	50	5833710801800070	9002715725613	080x180/100 G1G 0B1 B2B
	200	100	20	TX 40	50	5833710802000070	9002715725620	080x200/100 G1G 0B1 B2B
	220	100	20	TX 40	50	5833710802200070	9002715725637	080x220/100 G1G 0B1 B2B
	240	100	20	TX 40	50	5833710802400070	9002715725644	080x240/100 G1G 0B1 B2B
	260	100	20	TX 40	50	5833710802600070	9002715725651	080x260/100 G1G 0B1 B2B
	280	100	20	TX 40	50	5833710802800070	9002715725668	080x280/100 G1G 0B1 B2B
	300	100	20	TX 40	50	5833710803000070	9002715725675	080x300/100 G1G 0B1 B2B
	320	100	20	TX 40	50	5833710803200070	9002715725682	080x320/100 G1G 0B1 B2B
	340	100	20	TX 40	50	5833710803400070	9002715725699	080x340/100 G1G 0B1 B2B
360	100	20	TX 40	50	5833710803600070	9002715725705	080x360/100 G1G 0B1 B2B	
380	100	20	TX 40	50	5833710803800070	9002715725712	080x380/100 G1G 0B1 B2B	
400	100	20	TX 40	50	5833710804000070	9002715725729	080x400/100 G1G 0B1 B2B	
<b>10,0</b>	100	60	25	TX 50	25	5833711001000001	9002715706339	100x100/060 G1G 0B1 B2B
	120	60	25	TX 50	25	5833711001200001	9002715725750	100x120/060 G1G 0B1 B2B
	140	60	25	TX 50	25	5833711001400001	9002715725767	100x140/060 G1G 0B1 B2B
	160	100	25	TX 50	25	5833711001600001	9002715725774	100x160/100 G1G 0B1 B2B
	180	100	25	TX 50	25	5833711001800001	9002715725781	100x180/100 G1G 0B1 B2B
	200	100	25	TX 50	25	5833711002000001	9002715725798	100x200/100 G1G 0B1 B2B
	220	100	25	TX 50	25	5833711002200001	9002715725804	100x220/100 G1G 0B1 B2B
	240	100	25	TX 50	25	5833711002400001	9002715725811	100x240/100 G1G 0B1 B2B
	260	100	25	TX 50	25	5833711002600001	9002715725828	100x260/100 G1G 0B1 B2B
	280	100	25	TX 50	25	5833711002800001	9002715725835	100x280/100 G1G 0B1 B2B
	300	100	25	TX 50	25	5833711003000001	9002715725842	100x300/100 G1G 0B1 B2B
	320	100	25	TX 50	25	5833711003200001	9002715725859	100x320/100 G1G 0B1 B2B
	340	100	25	TX 50	25	5833711003400001	9002715725866	100x340/100 G1G 0B1 B2B
	360	100	25	TX 50	25	5833711003600001	9002715725873	100x360/100 G1G 0B1 B2B
380	100	25	TX 50	25	5833711003800001	9002715725880	100x380/100 G1G 0B1 B2B	
400	100	25	TX 50	25	5833711004000001	9002715725897	100x400/100 G1G 0B1 B2B	

**GROSSPACKUNG**

QUALITÄT  
AUS   
ÖSTERREICH

Starantrieb, Senfkopf, Unterkopfrippen, **Reibteil**,  
**Grobganggewinde, Mitgewinde**, kunststoffgesintert


Edelstahl A4



	Dimension				Antrieb	Stk./ PEH	SSH Art. Nr.	EAN	ETA - Codierung
	Ød (mm)	Ls (mm)	LgT (mm)	Ødk (mm)					
<b>8,0</b>	100	54	15		TX 40	75	5834200801000070	9002715737425	080x100/054 A1C 0B1 B1B
	120	54	15		TX 40	75	5834200801200070	9002715737432	080x120/054 A1C 0B1 B1B
	140	84	15		TX 40	75	5834200801400070	9002715737449	080x140/084 A1C 0B1 B1B

Starantrieb, Tellerkopf, **Reibteil**,  
**Grobganggewinde, Mitgewinde**, kunststoffgesintert

Edelstahl A4



	Dimension				Antrieb	Stk./ PEH	SSH Art. Nr.	EAN	ETA - Codierung
	Ød (mm)	Ls (mm)	LgT (mm)	Ødk (mm)					
<b>8,0</b>	100	54	20		TX 40	50	5833200801000070	9002715737395	080x100/054 G1G 0B1 B2B
	120	54	20		TX 40	50	5833200801200070	9002715737401	080x120/054 G1G 0B1 B2B
	140	84	20		TX 40	50	5833200801400070	9002715737418	080x140/084 G1G 0B1 B2B

GROSSPACKUNG